

NOT OF STANDARD DRUG FOR THE MONTH OF APRIL 2025

| Sl. No | Name of Drug/Cosmetics | Manufactured BY | Batch No | Manufacturing Date | Expiry Date | NSQ Result | Reported by CDSCO Laboratory |
|--------|---|--|--------------|--------------------|-------------|--|---------------------------------|
| 1 | Telmisartan Tab IP 40 mg | M/s. Super Formulation Pvt. Ltd., 16-B, 15F, Industrial Area, Maxi Road, Ujjain- (MP)- 456 010 | GTM 18 | 06/2024 | 05/2026 | The sample does not conform to IP Standards. It fails the test 'dissolution' as per IP, specified in the Laboratory Protocol. Hence the sample is declared as Not of Standard Quality'. | Drugs Control Department Kerala |
| 2 | Cefixime Oral Suspension IP Dry Syrup 30 ml, 100 mg/5ml | M/s. Nestor Pharmaceuticals Limited, 11, Western Extension Area, Faridabad - 121 001, India | CADB-03 | 06/2024 | 05/2026 | The sample does not conform to IP 2022 Standards. This particular batch of sample fails the tests Water and Assay, hence declared as Not of Standard Quality'. | Drugs Control Department Kerala |
| 3 | Warfarin Sodium Tablets IP 5mg | M/s. Healthy Life Pharma Pvt. Ltd., Factory: N-31/1, MIDC, Tarapur, Boisar-401 506, Dist. Palghar | 2320 | 09/2024 | 08/2026 | The sample conforms to the claim with respect to the tests performed, however sample is deemed to be misbranded under Section 17 of the Drugs and Cosmetics Act and Rules there under for the reason mentioned in the Laboratory Protocol. | Drugs Control Department Kerala |
| 4 | Nicocred-10 (Nicorandil Tablets 10mg) | M/s. SB Lifesciences Pvt. Ltd., AT: Plot No.45, EPIP, Phase-I, Jharmajri. Baddi, Dist. Solan (HP) -173 205 | SGT - 241195 | 08/2024 | 07/2026 | The sample does not conform to IP Standards. It fails the tests 'Dissolution and Assay' as per IP, specified in the Laboratory Protocol. Hence the sample is declared as 'Not of Standard Quality' | Drugs Control Department Kerala |

| | | | | | | | |
|---|--|---|------------|------------|--|--|------------------------------------|
| 5 | Cefpodoxime Proxetil Tablets IP 200mg | M/s. Mancare Laboratories Pvt. Ltd., Plot No. 11, Pharmacy, Selaqui, Dehradun, Uttarakhand-248 011 | MBT24095 | 12/2024 | 11/2026 | The sample does not conforms to IP Standards. It fails the test 'Dissolution' as per IP and hence declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 6 | Paracetamol IP Tablets 650mg | M/s. Healer's Lab, Unit -11, Plot No. 33, H.P.S.I.D.C., Extn. Baddi, Distt. Soaln (HP) | PRK-620 | 03/2024 | 02/2027 | The sample does not conforms to IP Standards. It fails the test 'Dissolution' as per IP and hence declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 7 | Restomol-650 (Paracetamol Tablets IP 650mg) | M/s. Kaushik Therapeutics (P) Ltd., Plot No. 6 & 7, Door No. 728, Kakkanji Cross Street, Paraniputhur Road, Gerugambakkam, Chennai-600 128 | K1224079 | 12/2024 | 11/2027 | The sample does not conforms to IP Standards. It fails the test 'Dissolution' as per IP, as specified in the Laboratory Protocol. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 8 | Youth Face Beauty Cream | M/s. Akmas Life Science and Chemicals, MH, Thane-401 105 | AK/yF 24-7 | 07/2024 | Best before 24 months from Date of mfg. | Sample does not conform to Cosmetics Rules 2020 for standards of Cosmetics. This particular batch of sample fails the test for content of mercury in finished cosmetic products. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 9 | Faiza Beauty Cream | M/s. Poonia Brothers (PAK) (As per inner label), Poonia Brothers Pvt. Ltd., (As per outer label) | #24FX23 | 15/05/2024 | 15/05/2027 | Sample does not conform to Cosmetics Rules 2020 for standards of Cosmetics. This particular batch of sample fails the test for content of mercury in finished cosmetic products. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |


| | | | | | | | |
|----|--|--|-------------|---------|--|--|---------------------------------|
| 10 | Ashtapathy Papaya Beauty Soap | M/s. Ashtapathy Health Care Pvt. Ltd., 5/7A, PMRY Road, Pengattussery, Edathla North P.O., Aluva, Ernakulam, Kerala-683 561, India | PS06/24-25 | 09/2024 | Use before 2 years from the date of Mfg. | The sample does not conform the test Total fatty matter, percent by mass (Min) as per IS 2888:2004 Specification for Toilet Soap Grade I. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 11 | Ondansetron Tablets IP 4 mg | M/s. Nestor Pharmaceuticals Ltd., 11, Western Extension Area, Faridabad-121 001 | ONTB-06 | 09/2024 | 08/2026 | The sample does not conform to IP standards. It fails the test for 'Dissolution' as per IP as specified in the Laboratory Protocol. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 12 | Vitamin C Chewable Tablets with Zinc (Heal C ee+) | M/s. IBN Herbals, (A unit of Curetech Formulations (P) Ltd., Khasra No. 63, Vill. Juddi Kalan, Baddi-173 205, Distt. Solan (HP) | IHPI24049 | 06/2024 | 05/2026 | This particular batch of sample fails in the Descriptive part. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 13 | Pantonis-40 (Pantoprazole Sodium Resistant Tablets IP) | M/s. JMM Laboratories, Vill. Khari, Kala amb, Tehsil: nahan Sirmour-173 030, India | JMT-2407371 | 07/2024 | 06/2026 | The sample does not conform to IP Standards. It fails the test 'Dissolution' as per IP, as specified in the Laboratory Protocol. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 14 | Nebivolol Tablets IP | M/s. Ravian Life Sciences Pvt. Ltd., Plot NO. 34, Sector-8A, IIES IDCUL, Haridwar-249 403, Uttarakhand | KMNB24002 | 10/2024 | 09/2026 | The sample does not conform to IP standards. It fails the test 'Dissolution' as specified in the Laboratory Protocol. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |

| | | | | | | | |
|----|--|--|-----------|---------|---------|---|---------------------------------|
| 15 | Telmisartan and Amlodipine Tablets IP (Telmiglad-AM) | M/s. Unigrow Pharmaceuticals, Vill. Katha, Baddi Dist. Solan HP | UGT24G06A | 10/2024 | 09/2026 | The sample does not conform to IP Standards. It fails the tests for 'Assay' of Amlodipine and 'Dissolution' as specified in the Laboratory Protocol as per IP. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 16 | Aspirin Gastro Resistant Tablets IP 75mg | M/s. Unicare India Ltd, C-21, 22 & 23, Sector-3, Noida-201 301, Distt. Gautam Budh Nagar, UP | ANET1235 | 05/2024 | 04/2026 | The sample does not conforms to IP Standards. It fails the test 'Dissolution' as per IP as specified in the Laboratory Protocol. Hence declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 17 | Telmisartan Tablets IP Zeotel-40 | M/s. Ritual Drugs Pvt. Ltd., Plot No. 271-272, Phase-I, HSIIDC, Barhi Industrial Area, Sonapat (HR), 131 101 | GT4H70 | 08/2024 | 07/2026 | The sample does not conform to Schedule V of Drugs and Cosmetics Act, 1940 & Rules thereunder. It fails the test disintegration as per IP & hence declared as not of standard Quality. | Drugs Control Department Kerala |
| 18 | Fexofenadine Tablets IP (Fexodil 180 mg) | M/s. Jackson Laboratories Pvt. Ltd., 22-24, Majitha Road, Bye Pass, Amritsar-143 001 | T-3105 | 10/2024 | 09/2026 | The sample does not conform to Indian Pharmacopoeia, This particular batch of sample fails the testdissolution, hence declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 19 | Telmisartan Tablets IP 40 mg Telmitol-40 | M/s. Placenta Pharmaceuticals Pvt. Ltd., No.1, MLA Garden, Perabamkkam, Thiruvallur-631 402, Tamil Nadu | PPT24019 | 09/2024 | 08/2026 | Sample does not conform to the Indian Pharmacopoeia with respect to the Dissolution test. Hence declared as Not of Standard Quality. | Drugs Control Department Kerala |

| | | | | | | | |
|----|--|--|----------|---------|---------|--|------------------------------------|
| 20 | Levocetirizine Dihydrochloride and Montelukast Tablets IP Freeliv-M | M/s. Goodman Pharmaceuticals, Plot No. B3-B8, PIPDIC, Electornic Park, Thirabhuvani, Puducherry-605 107 | EFIT2401 | 04/2024 | 03/2026 | Sample does not conform to IP 2022 standards. This particular batch of sample fails the test Dissolution of Levocetirizine Dihydrochloride. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 21 | Paracetamol Tablets IP 500mg | M/s. Healer's Lab, Unit -11, Plot No. 33, H.P.S.I.D.C., Extn. Baddi, Distt. Soaln (HP) | PAK-558 | 09/2023 | 08/2026 | The Sample does not conform to IP Standards. It fails the test 'Dissolution' as per IP, as specified in the Laboratory Protocol. Hence the sample is decared as Not of Standard Quality. | Drugs Control Department Kerala |
| 22 | Cefixime Oral Suspension Ip Dry Syrup 30ml (100mg/5ml) | M/s. Nestor Pharmaceuticals Limited, 11, Western Extension Area, Faridabad-121 001. | CADB-02 | 06/2024 | 05/2026 | The sample does not conforms to IP Standards.It fails the test for Assay. Water and descriptive part for oral liquids as per IP, as specified in the Laboratory Protocol. Hence the sample is delcared as Not of Standard Qaulity'. | Drugs Control Department Kerala |
| 23 | Paracetamol Tablets IP 500 mg | M/s. Healer's Lab, Unit -11, Plot No. 33, H.P.S.I.D.C., Extn. Baddi, Distt. Soaln (HP) | PAK-517 | 05/2023 | 04/2026 | The Sample does not conform to IP Standards. It fails the test 'Dissolution' as per IP, as specified in the Laboratory Protocol. Hence the sample is decared as Not of Standard Quality. | Drugs Control Department Kerala |

| | | | | | | | |
|----|--|---|----------|---------|---|---|------------------------------------|
| 24 | Paracetamol Tablets IP 500 mg | M/s. Healer's Lab, Unit -11, Plot No. 33, H.P.S.I.D.C., Extn. Baddi, Distt. Soaln (HP) | PAK-556 | 09/2023 | 08/2026 | The Sample does not conform to IP Standards. It fails the test 'Dissolution' as specified in the Laboratory Protocol, as per IP. Hence the sample is decared as Not of Standard Quality. | Drugs Control Department Kerala |
| 25 | Mamaearth Vitamin C daily glow light Moisturising Cream | M/s. VA Life Sciences, LLP Plot No. 9D, Sector-2, Paravanoo, HP, India - 173 220 | AM4J160 | 10/2024 | Use beofree 24 months from manufacutr ing date | The sample does not conform to Cosmetic Rules, 2020 for Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory Protocol. | Drugs Control Department Kerala |
| 26 | Alograce Cream (Vitamin E, Honey & Alovera Cream) | M/s. RSH Global Pvt. Ltd., Plot No. 3C, Industrial Area, Baddi- 173 205 | A2JJX048 | 12/2024 | 12/2026 | The sample does not conform to IS 6608:2004 for specification of skin cream. It fails the test for 'Heavy metals (as lead) ppm" as specified in the Laboratory Protocol. Hence the sample is declared as Not of Standard Quality. | Drugs Control Department Kerala |
| 27 | Vitamin B Complex Tablets N.F.I | M/s. Modern Laboratories, 45-47, Sector D-2, Industrial Area, Sanwar Road, Indore, MP -452 015 | VB T2301 | 05/2023 | 04/2025 | The sample does not conform to IP Standards. It fails the test 'Assay' of Thamine Hydrochloride and Calcium Pantothenate. It also fails descruptive part for the tablets as per IP. Most of the tablets cannot be taken out in intact form the strip and hence declared as Not of Standard Quality. | Drugs Control Department Kerala |

| | | | | | | | |
|----|-------------------------------|--|---------|---------|---------|---|------------------------------------|
| 28 | Paracetamol Tablets IP 500 mg | M/s. Healer's Lab, Unit -11, Plot No. 33, H.P.S.I.D.C., Extn. Baddi, Distt. Soaln (HP) | PAK-524 | 05/2023 | 04/2026 | The sample does not conform to IP Standards. It fails the test 'dissolution' as per IP, specified in the Laboratory Protocol. Hence declared as Not of Standard Quality. | Drugs Control Department Kerala |
|----|-------------------------------|--|---------|---------|---------|---|------------------------------------|



Drugs Controller