

## NOT OF STANDARD DRUG FOR THE MONTH OF MARCH 2025

SL No	Name of Drug	Manufactured BY	Batch No	Manufacturing Date	Expiry Date	NSQ Result	Reported by CDSCO Laboratory
1	Telmisartan Tablets IP 40	ANG Lifesciences India Ltd, Village Malkumajra, Nalagarh Road, Baddi, Distt. Salan (HP)	T103014	09/2023	08/2025	Sample does not conform to the Indian Pharmacopoeia standard with respect to the dissolution test	Drugs Control Department Kerala
2	<b>Karas 2 H Hygeine Hand Santitizer 500ml</b>	Karas Health Care Pvt Ltd, 16/164 B, Paravoor Road, Mannam , Vaniyakkad, North Paravur, Ernakulam , kerala - 683 520	IIACCJ24	15/10/24	14/10/2026	Sample gives negative results for the presence of Ethyl alcohol and positive results for the presence of Methanol as per IP. The sample contains 78.39% v/v of Methanol as specified in the Laboratory protocol. Hence the sample is spurious .	Drugs Control Department Kerala
3	<b>Vitamin B<sub>12</sub> Injection IP</b>	Cotec Healthcare Pvt Ltd, KH No. 593/1, Roorkee- Dehradun Highway, Kishanpur, Roorkee- 247 667 (UK) India.	CHI-40139	06/2024	05/2026	The sample does not conform to IP standards. It fails the tests sterility and Assay as per IP, as speicied in the Laboratory Protocol	Drugs Control Department Kerala
4	<b>Quench Ultra Light Nourishing Face and Body Cream (with Avocado Vitamin C &amp; E)</b>	Manufactured for Boomerang Brands LLC, 8, The Green Suite A, Dover, DE 19901, Marketed & Imported by Velvette Lifestyle Pvt Ltd, B- 1004, Palatial Heights, Andheri E Mumbai - 400 072, Maharashtra	BB54	05/2024	04/2027	The sample does not conform to IS 6608:2024 for specifications of Skin cream. It fails the tests for Total fatty substance content percent by mass, Total reidue percent by mass and Heavy metals as Lead (Pb) parts per million.	Drugs Control Department Kerala

5	<b>Blue Heaven Get Matte Lipstick (4g)</b>	Blue Heaven Cosmetics (P)Ltd, Plot No. 15, Sector - 4, IMT Manesar, Gurugram, Haryana - 122 052.	KA4A1	09/2024	08/2027	The sample does not conform to Cosmetics Rules, 2020 for Standards of Cosmetics. It fails the test for the content of mercury in finished cosmetic products as specified in the Laboratory protocol	Drugs Control Department Kerala
6	<b>Lilium Fruit Massage Cream</b>	Lilium Cosmetics Pvt Ltd, A- 97, Sector - 80, Gautham Budh Nagar, Noida, Uttarpradesh - 201 306	MCF- 2408118	09/2024	08/2027	The sample does not conform to IS 6608:2004 for specifications of skin cream. It fails the test for Heavy metals (as Pb), parts per million, as specified in the Laboratory protocol. Hence the sample is declared as Not of standard Quality	Drugs Control Department Kerala
7	<b>Clopidogrel Tablets IP 75mg</b>	Unicare India Ltd,C-21, 22 & 23, Sector -3, Noida - 201 301, Distt. Gautam Budh Nagar (UP),	CPGT1111	05/2023	04/2025	The sample does not conform to IP standards. It fails the tests Description, Dissolutin and Assay as specified in the Laboraotory Protocol as per IP	Drugs Control Department Kerala
8	<b>Turpentine Oil B.P 100ML</b>	Medismith Pharma Lab, #20A 1st Phase, KIADB, Mysore Road, Kumbalagodu , Bangalore-560074	073	11/2023	30Months from Re- pkg Date	The sample does not conform to BP standards,. It fails the test Optical rotation & Residue on eyaporation as specified in the Laboratory Protocol as per BP, hence declared as not of standard quality	Drugs Control Department Kerala

9	<b>Balarishtam</b>	Sakthi Ayurveda Pharmaceuticals, Ottasekharamangalam, Neyyattinkara, Thiruvananthapuram	57	09/2024	No Expiry	The sample does not conform to API standards. It fails the tests' Total solids', 'Specific gravity', Reducing sugar' and Alcohol content', as specified in the Laboratory Protocol as per API. Hence the sample is declared as Not of Standard Quality.	Drugs Control Department Kerala
10	<b>AMRUTHARISHTAM</b>	Sakthi Ayurveda Pharmaceuticals, Ottasekharamangalam, Neyyattinkara, Thiruvananthapuram	58	09/2024	3 Years from Mfg.	The sample does not conform to API standards. It fails the tests' Total solids', 'Specific gravity', Reducing sugar' and Alcohol content', as specified in the Laboratory Protocol as per API. Hence the sample is declared as Not of Standard Quality.	Drugs Control Department Kerala
11	<b>ASOKARISHTAM</b>	Sakthi Ayurveda Pharmaceuticals, Ottasekharamangalam, Neyyattinkara, Thiruvananthapuram	56	09/2024	3 Years from the date of Mfg.	The sample does not conform to API standards. It fails the tests' Total solids', 'Specific gravity', Reducing sugar' and Alcohol content', as specified in the Laboratory Protocol as per API. Hence the sample is declared as Not of Standard Quality.	Drugs Control Department Kerala
12	<b>Telmisartan Tablets IP 40 Telmiz- 40</b>	Avalon Medicines Private Limited, Plot No. 1271, Phase I, Sector-38, HSIIDC, Rai Sonipat-131029(HR)	AMT-0733	09/2024	08/2026	Sample does not conform to the Indian Pharmacopoeia standard with respect to the dissolution test	Drugs Control Department Kerala

13	<b>Beauty Care Egg. Protein Shampoo (500ml)</b>	Universal Cosmetics Industries, B-29, Balaji Ind. Est. Akruli Road, Kandivali E, Mumbai 101, Maharashtra.	03	06/2024	05/2026	The sample does not conform to IS 14648:2011 for microbiological examination of cosmetics. It fails the test for Microbial limit as specified in the Laboratory protocol.	Drugs Control Department Kerala
14	<b>Silk &amp; Sheen Sandal Face Pack</b>	Kamal Home Products, Gala No.104, Nirav- 7, SNo. 44,45,93,94, Village Sativali, Vasai E, Taluka- Vasai, Distt. Thane- 401 208	01	11/2024	Best before 30 months from the date of Mfg.	The sample does not conform to IS 14648:2011 for microbiological examination of cosmetics. It fails the tests for total viable count and Gram negative pathogens, Pseudomonas aeruginos as specified in the Laboratory protocol Microbial limit as specified in the Laboratory protocol.	Drugs Control Department Kerala
15	<b>Glimepiride, Metformin HCl &amp; Pioglitazone Tablets Glidum - MP2 Tablets.</b>	Astonea Labs Pvt. Ltd, Vill, Haripur, The. Raipur Rani, Distt. Panchkula, Haryana, India 134204	ADT24244	06/2024	05/2026	The sample does not conform to Schedule V of Drugs and Cosmetics Act, 1940 & Rules thereunder. It fails the test disintegration as per IP & hence declared as not of standard Quality	Drugs Control Department Kerala
16	<b>Aspirin Gastro- Resistant Tablets IP (150mg)</b>	Unicare India Ltd, Plot No. 46 (B)/49B, Vill, Ranipur, Bhagwanpur, Rookee, Dist. Haridwar, Uttarakhand	URDT2773	11/2023	10/2025	The sample does not conform to IP standards. This batch fails the test for Dissolutin (Buffer) as per IP and hence declared as not of standard Quality.	Drugs Control Department Kerala
17	<b>Losartan Tablets IP 50mg</b>	Karnataka Antibiotics & Pharmaceuticals Limited , Plot No. 14, II Phase, Peenya, Bengaluru - 560058	13900324	03/2024	02/2027	Sample does not conform to IP Standards. It fails the test of 'dissolution' as per IP	Drugs Control Department Kerala

18	<b>Clobazam Tablets IP 5mg</b>	Healthy Life Pharma Pvt. Ltd, Factory: N-31/1, MIDC, Tharapur, Boisar- 401506, Dist. Palghar.	01283	09/2024	08/2026	Sample does not conform to IP standards. It fails the test dissolution as specified in the Laboratory Protocol as per IP	Drugs Control Department Kerala
19	<b>Ondansetron Orally Disintegrating Tablets IP 4 mg, Vomhit- MD</b>	ARCON LABS, Plot No: 100, DIC, Industrial Area Baddi, distt. Solan (H.P) 173205. .	ALT0836	04/2024	03/2026	Sample does not conform to IP 2022. This particular batch of sample fails the test dissolution.	Drugs Control Department Kerala
20	<b>Faiza Beauty Cream 45gm</b>	Poonia Brothers Pvt. Ltd.	24FX23	16/04/2024	16/04/2027	The sample does not conform to Cosmetic Rules, 2020 for Standards of Cosmetics. It fails the test for the content of mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala
21	<b>Fem Cream Bleach</b>	Dabur India Ltd, village Manakpur, Tehsil Baddi, Distt. Solan (HP) - 174 101.	BM1516	09/2024	06/2026	The sample does not conform to Cosmetic Rules, 2020 for Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala
22	<b>Goree Day &amp; Night Beauty Cream</b>	Goree Cosmetics (Pvt) Ltd, Made in Pakistan.	GDN175	04/2024	03/2027	The sample does not conform to Cosmetic Rules, 2020 for Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala
23	<b>Top UP Matte Super Light Liquid Lipstick (Shills Matte LIQ Lips)</b>	Yiwn Baolina Cosmetics Co. Ltd, Yiting Town, Yiwu City, Jinhua City, Zhejiang Province, China	2027426	26/04/2023	25/04/2027	The sample does not conform to Cosmetic Rules, 2020 for Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala

24	<b>Sandal Beauty Cream</b>	MMC Cosmetics (PVT) Ltd.Made in Pakistan	133E	Nil	Best before Jul 2027	The sample does not conform to Cosmetic Rules, 2020 for Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala
25	<b>Faiza Moisture Balancing Whitening Face Wash (70ml)</b>	Poonia Brothers Pvt. Ltd.	Nil	01/2023	01/2026	The sample does not conform to Cosmetic Rules, 2020 for Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala
26	<b>Silk &amp; Sheen Apricot Facial Scrub</b>	Kamal Home Products, Gala No. 104, Nirav-7, S. No. 44,45,93,94, Village Satali, Vasai(E), Taluka-Vasai, Distt. Thane- 401 208.	01	07/2024	Best before 30 month from the date of Mfg.	The sample does not conform to Cosmetic Rules, 2020 for Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala
27	<b>Nature's Essence Moisturising Aloe Beauty Gel</b>	Esme Consumer Pvt. Ltd, 8, IP-II, Salempur Mehdood, Haridwar - 249 402.	B CC4A3	03/2024	Best before 36 months from the date of Mfg.	The sample does not conform to IS 18429 : 2023 for specifications of Skin Gel. It fails the content of 'Mercury, parts per million' as specified in the Laboratory protocol.	Drugs Control Department Kerala
28	<b>Aspirin Gastro Resistant and Atorvastatin Capsules IP (75mg/10mg)</b>	Vivimed Labs Limited, D-125 & 128, Phase-III, IDA, Jeedimetla, Medchal-Malkajgiri (District), Telangana State - 500 055.	AAC3007	11/2023	10/2025	The sample does not conform to IP Standards. It fails the test 'dissolution' and 'Related substances for Aspirin' as per IP	Drugs Control Department Kerala

29	<b>Glimpiride Tablets IP 2mg</b>	Hindustan Antibiotics Ltd (Agovt. Of India Enterprise) At: 11, W.E.A, Faridabad 121001, Haryana, R.O: Pimpri, Pune- 411018, India.	HGDA 11	10/2023	09/2025	The sample does not conform to IP Standards. It fails to the test Dissolution as per IP	Drugs Control Department Kerala
30	<b>Niyo Plus Baby Shampoo</b>	Greenary Care, Podikulangara, Varode. P.O, Kattayi, Palakkad, Kerala,	BBS 121	11/2024	10/2026	The Sample does not conform to IS 17117 : 2019 for specification of Hair sampoo for babies. It fails the test 'Total Microbial count, CFU/ml' as specified in the Laboratory protocol.	Drugs Control Department Kerala
31	<b>Lipgloss ES- 181</b>	Mfd. For Yiwu Kangzhe Import and Export Co Ltd, Room No. 1711, International Trade Mansion Jinhua City, Zhejilang Province, China, No. 999, Chouzhou North Road, Yiwu City, Zhejilang Provice, China. Imported by: Shubh Laxmi Traders	GL8024	10/2023	10/2028	The sample does not conform to Cosmetic Rules, 2020 for the Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala
32	<b>Red Four Seven Seas Twist Matte Lipstic</b>	Marketed by: Seven Seas Beauty Products, Add. Ground Floor, B-68, G Karnal Road, Industrial Area, Delhi - 110033. Imported by Siddhart Innovations and Marketing Company, H-90, basement, Kirti Nagar, New Delhi.	NG229	20/06/2024	19/06/2029	The sample does not conform to Cosmetic Rules, 2020 for the Standards of Cosmetics. It fails the test for the content of Mercury in finished cosmetic products as specified in the Laboratory protocol.	Drugs Control Department Kerala
33	<b>DASAMULARISHTAM</b>	Vaidyasala Veetil Oushadhasala, Kulanjiyil, Elamadu. P.O, Kollam - 691 539	1042	01/2025	Best before 5 yrs from the date if Mfg.	The Sample does not Conform to API Standards. It fails the tests 'pH' 'Total solids', 'Specific gravity' and 'Alcohol content', as specified in the Laboratory Protocol as per API.	Drugs Control Department Kerala

34	<b>AVIPATHI CHOORNAM</b>	Changethu Herbs & Drugs, Thonnallur, Pandalam - 689501	AV 461625	01/2025	12/2026	The Sample does not Conform to API Standards. It fails the tests 'Total sugar', 'Alcohol soluble Extractive' and 'Water soluble Extractive', as specified in the Laboratory Protocol as per API.	Drugs Control Department Kerala
35	<b>AMRUTHARISHTAM</b>	Vaidyasala Veetil Oushadhasala, Kulanjiyil, Elamadu. P.O, Kollam - 691 539	1031	09/2024	Best before 5 yrs from the date if Mfg.	The Sample does not Conform to API Standards. It fails the tests 'Total solids', as specified in the Laboratory Protocol as per API.	Drugs Control Department Kerala

